

**Chem 130**  
**Exam 1, Ch 1-4**  
**100 Points**

**Name** \_\_\_\_\_  
**June 22, 2016**

Please follow the instructions for each section of the exam. Show your work on all mathematical problems. Provide answers with the correct units and significant figures. Be concise in your answers to discussion questions.

**Part 0: Warmup. 4 points each**

1. When 10.0 g zinc and 8.0 g sulfur are allowed to react, all of the zinc is consumed and 15.0 g zinc sulfide is produced. The mass of unreacted sulfur remaining is:

- a. 2.0 g
- b. 3.0 g
- c. 5.0 g
- d. Impossible to predict from this information alone.

Answer \_\_\_\_\_

2. Which of the following have roughly the same mass:

- a. a proton and an electron
- b. an electron and a neutron
- c. a neutron and a proton
- d. a proton and a bowling ball


Answer \_\_\_\_\_

**Part I: Complete all of problems 3-8**

3. Complete the following table. (12 points)

Symbol	$^{26}\text{Mg}$		
# of protons			35
# of neutrons			46
# of electrons			36
Charge	0		
Name		zinc-65	

4. Name the following compounds or provide the correct formula for the given names. (18 points)



\_\_\_\_\_




\_\_\_\_\_



\_\_\_\_\_



\_\_\_\_\_



\_\_\_\_\_



\_\_\_\_\_


5. Bromine exists as two isotopes with nearly equal abundance. The average mass of a bromine atom is 79.904 amu. If you were able to pick up a single bromine atom, what is the chance that you would randomly get one with a mass of 79.904 amu? No calculations are needed, but you must clearly justify your answer. (8 points)
6. Magnesium occurs in seawater to the extent of 1.40 g magnesium per kilogram of seawater. What volume of seawater, in liters, would have to be processed to produce 1.11 ton of magnesium? (1 ton = 907.1 kg, density of seawater = 1.08 kg/L). (8 points)
7. Which is the larger mass, 3245  $\mu\text{g}$  or 0.00515 mg? (8 points)
8. How many copper atoms are present in a piece of sterling silver jewelry weighing 33.24 g? Sterling silver is a silver-copper alloy containing 92.5% silver by mass with the balance being copper. (8 points)

**Part II. Answer three (3) of problems 9-12. Clearly mark the problem you do not want graded. 10 points each.**

9. Copper has two stable isotopes,  $^{63}\text{Cu}$  and  $^{65}\text{Cu}$ , with masses of 62.9396 amu and 64.9278 amu, respectively. What are the percent abundances of each of these isotopes? Why aren't the masses of the isotopes 63.0000 and 65.0000?
10. Nitrogen gas,  $\text{N}_2$ , can be created by passing gaseous ammonia over solid copper (II) oxide, with the other product of the reaction being solid copper and water vapor. If a reaction mixture containing 18.1 g  $\text{NH}_3$  and 90.4 g  $\text{CuO}$  produces 6.63 g  $\text{N}_2$ , what is the percent yield for the reaction? (10 points)

11. The compound di-ethylene glycol monomethyl ether (di-EGME) is added to jet fuel to minimize the possibility of ice formation in the fuel tanks at high altitude. Elemental analysis has determined that di-EMGE is 49.98% carbon and 39.95% oxygen by weight, with the remainder of the compound being hydrogen. If the molar mass of di-EMGE is 120.1469 g/mol, what are the empirical and molecular formulas for this compound?
12. While Dalton's atomic theory is still the foundation for our understanding of basic chemical principles, our ability to better characterize atoms and compounds has identified a few shortcomings or errors in the theory. Identify the four key tenets of Dalton's theory and describe at least one shortcoming or error in the theory.

## Possibly Useful Information

	$\text{percent yield} = \frac{\text{actual yield}}{\text{theoretical yield}} \times 100\%$
$N_a = 6.02214 \times 10^{23} \text{ mol}^{-1}$	$D = m/v$

1 1A	2 2A											13 3A	14 4A	15 5A	16 6A	17 7A	18 8A
1 H 1.00794	2 He 4.00260											5 B 10.811	6 C 12.011	7 N 14.0067	8 O 15.9994	9 F 18.9984	10 Ne 20.1797
3 Li 6.941	4 Be 9.01218											13 Al 26.9815	14 Si 28.0855	15 P 30.9738	16 S 32.066	17 Cl 35.4527	18 Ar 39.948
11 Na 22.9898	12 Mg 24.3050	3 3B	4 4B	5 5B	6 6B	7 7B	8 8B	9 8B	10 8B	11 1B	12 2B	13 Al 26.9815	14 Si 28.0855	15 P 30.9738	16 S 32.066	17 Cl 35.4527	18 Ar 39.948
19 K 39.0983	20 Ca 40.078	21 Sc 44.9559	22 Ti 47.88	23 V 50.9415	24 Cr 51.9961	25 Mn 54.9381	26 Fe 55.847	27 Co 58.9332	28 Ni 58.693	29 Cu 63.546	30 Zn 65.39	31 Ga 69.723	32 Ge 72.61	33 As 74.9216	34 Se 78.96	35 Br 79.904	36 Kr 83.80
37 Rb 85.4678	38 Sr 87.62	39 Y 88.9059	40 Zr 91.224	41 Nb 92.9064	42 Mo 95.94	43 Tc (98)	44 Ru 101.07	45 Rh 102.906	46 Pd 106.42	47 Ag 107.868	48 Cd 112.411	49 In 114.818	50 Sn 118.710	51 Sb 121.757	52 Te 127.60	53 I 126.904	54 Xe 131.29
55 Cs 132.905	56 Ba 137.327	57 *La 138.906	72 Hf 178.49	73 Ta 180.948	74 W 183.84	75 Re 186.207	76 Os 190.23	77 Ir 192.22	78 Pt 195.08	79 Au 196.967	80 Hg 200.59	81 Tl 204.383	82 Pb 207.2	83 Bi 208.980	84 Po (209)	85 At (210)	86 Rn (222)
87 Fr (223)	88 Ra 226.025	89 *Ac 227.028	104 Rf (261)	105 Db (262)	106 Sg (266)	107 Bh (264)	108 Hs (277)	109 Mt (268)	110 Ds (271)	111 Rg (272)							

*Lanthanide series	58 Ce 140.115	59 Pr 140.908	60 Nd 144.24	61 Pm (145)	62 Sm 150.36	63 Eu 151.965	64 Gd 157.25	65 Tb 158.925	66 Dy 162.50	67 Ho 164.930	68 Er 167.26	69 Tm 168.934	70 Yb 173.04	71 Lu 174.967
†Actinide series	90 Th 232.038	91 Pa 231.036	92 U 238.029	93 Np 237.048	94 Pu (244)	95 Am (243)	96 Cm (247)	97 Bk (247)	98 Cf (251)	99 Es (252)	100 Fm (257)	101 Md (258)	102 No (259)	103 Lr (262)

Copyright © 2007 Pearson Prentice Hall, Inc.