


Complete problem 1 and four of problems 2-6. CLEARLY mark the problem you do not want graded. You must show your work to receive credit for problems requiring math. Report your answers with the appropriate number of significant figures.

You MUST complete problem 1. (16 pts.)

1. When ammonium sulfate dissolves, both the anion and the cation can participate in acid-base equilibria. Considering all the equilibria active in solution, including the autoprotolysis of water, write enough equations so that you could solve for the concentration of each species in a solution that is saturated with ammonium sulfate and also contains 0.10 M potassium nitrate. You must write the charge balance expression and at least one mass balance. *Identify all unknowns and write enough explicit, independent equations so that only algebra remains to solve for the unknowns. A numerical answer is not necessary. Do not consider activities.*



Do four of problems 2-6. Clearly mark the problem you do not want graded. (16 pts. ea.)

2. Consider the table of activity coefficients below. As you move from left to right across any row on the table, the values for activity coefficient decrease. As you move down in a given column, the activity coefficient also decreases. Clearly describe the phenomena that cause these trends. **Do not simply point out the trends; *you must explain why the trends exist.*** No calculations are necessary.

	Ionic Strength		
Species	0.001 M	0.01 M	0.1 M
hydronium ion	0.967	0.914	0.830
nitrate ion	0.964	0.899	0.755
calcium ion	0.870	0.675	0.405
sulfate ion	0.867	0.660	0.355
phosphate ion	0.725	0.395	0.095

3. Aziridine (C_2NH_5) is a monobasic weak base with a pK_b of 5.96. Calculate the pH of a solution prepared by mixing 20.0 mL of 0.025 M HCl with 50.0 mL of 0.036 M aziridine and diluting the resulting solution to 100.0 mL. *Do not consider autoprotolysis or activities.*

4. *Using activities*, find the mercury concentration of a solution of 0.0167 M Li_2SO_4 saturated with $\text{Hg}(\text{SCN})_2$ (K_{sp} for $\text{Hg}(\text{SCN})_2$ is 2.8×10^{-20}). Compare this result to that obtained if you were to ignore activities.

5. Complete both parts a and b. (8 points each)
- a. A saturated solution of Ag_2CO_3 ($K_{\text{sp}} = 8.1 \times 10^{-12}$) that originally had a volume of 1.00 L is allowed to evaporate until the solution volume is 0.500 L. How does the new concentration of Ag^+ compare to the concentration in the original solution? Clearly justify your response. *Do not consider activities.*
- b. In determining the pH of a solution that contains 0.10 M formic acid ($K_{\text{a}} = 1.8 \times 10^{-4}$) and 0.10 M HF ($K_{\text{a}} = 6.8 \times 10^{-4}$), why is the ICE table approach not a valid strategy to employ? What approach should be used instead? *Do not consider activities.*

6. Is it possible to perform a 99.99 % complete separation of barium and silver by precipitation with carbonate if both Ba^{2+} and Ag^+ are present initially at 0.020 M? Justify your decision. *Do not consider activities.*



Possibly Useful Information

$K_a K_b = K_w = 1.0 \times 10^{-14}$	Don't eat the yellow snow.
$-\log \gamma = \frac{0.51z^2 \sqrt{\mu}}{1 + \alpha \sqrt{\mu}/305}$	$\mu = \frac{1}{2} \sum_i c_i z_i^2$
$\Delta G = \Delta H - T\Delta S = -RT \ln K$	$x = \frac{-b \pm \sqrt{b^2 - 4ac}}{2a}$
$H_2O \rightleftharpoons H^+ + OH^- \quad K_w = 1.00 \times 10^{-14}$	$pH = -\log[H^+]$

Activity coefficients for aqueous solutions at 25°C

Ion	Ion size (α , pm)	Ionic strength (μ , M)				
		0.001	0.005	0.01	0.05	0.1
CHARGE = ± 1						
H ⁺	900	0.967	0.933	0.914	0.86	0.83
(C ₆ H ₅) ₂ CHCO ₂ ⁻ , (C ₃ H ₇) ₄ N ⁺	800	0.966	0.931	0.912	0.85	0.82
(O ₂ N) ₃ C ₆ H ₂ O ⁻ , (C ₃ H ₇) ₃ NH ⁺ , CH ₃ OC ₆ H ₄ CO ₂ ⁻	700	0.965	0.930	0.909	0.845	0.81
Li ⁺ , C ₆ H ₅ CO ₂ ⁻ , HOC ₆ H ₄ CO ₂ ⁻ , ClC ₆ H ₄ CO ₂ ⁻ , C ₆ H ₅ CH ₂ CO ₂ ⁻ , CH ₂ =CHCH ₂ CO ₂ ⁻ , (CH ₃) ₂ CHCH ₂ CO ₂ ⁻ , (CH ₃ CH ₂) ₄ N ⁺ , (C ₃ H ₇) ₂ NH ₂ ⁺	600	0.965	0.929	0.907	0.835	0.80
Cl ₂ CHCO ₂ ⁻ , Cl ₃ CCO ₂ ⁻ , (CH ₃ CH ₂) ₃ NH ⁺ , (C ₃ H ₇)NH ₃ ⁺	500	0.964	0.928	0.904	0.83	0.79
Na ⁺ , CdCl ⁺ , ClO ₂ ⁻ , IO ₃ ⁻ , HCO ₃ ⁻ , H ₂ PO ₄ ⁻ , HSO ₃ ⁻ , H ₂ AsO ₄ ⁻ , Co(NH ₃) ₄ (NO ₂) ₂ ⁺ , CH ₃ CO ₂ ⁻ , ClCH ₂ CO ₂ ⁻ , (CH ₃) ₄ N ⁺ , (CH ₃ CH ₂) ₂ NH ₂ ⁺ , H ₂ NCH ₂ CO ₂ ⁻	450	0.964	0.928	0.902	0.82	0.775
⁺ H ₃ NCH ₂ CO ₂ H, (CH ₃) ₃ NH ⁺ , CH ₃ CH ₂ NH ₃ ⁺	400	0.964	0.927	0.901	0.815	0.77
OH ⁻ , F ⁻ , SCN ⁻ , OCN ⁻ , HS ⁻ , ClO ₃ ⁻ , ClO ₄ ⁻ , BrO ₃ ⁻ , IO ₄ ⁻ , MnO ₄ ⁻ , HCO ₂ ⁻ , H ₂ citrate ⁻ , CH ₃ NH ₃ ⁺ , (CH ₃) ₂ NH ₂ ⁺	350	0.964	0.926	0.900	0.81	0.76
K ⁺ , Cl ⁻ , Br ⁻ , I ⁻ , CN ⁻ , NO ₂ ⁻ , NO ₃ ⁻	300	0.964	0.925	0.899	0.805	0.755
Rb ⁺ , Cs ⁺ , NH ₄ ⁺ , Tl ⁺ , Ag ⁺	250	0.964	0.924	0.898	0.80	0.75
CHARGE = ± 2						
Mg ²⁺ , Be ²⁺	800	0.872	0.755	0.69	0.52	0.45
CH ₂ (CH ₂ CH ₂ CO ₂ ⁻) ₂ , (CH ₂ CH ₂ CH ₂ CO ₂ ⁻) ₂	700	0.872	0.755	0.685	0.50	0.425
Ca ²⁺ , Cu ²⁺ , Zn ²⁺ , Sn ²⁺ , Mn ²⁺ , Fe ²⁺ , Ni ²⁺ , Co ²⁺ , C ₆ H ₄ (CO ₂ ⁻) ₂ , H ₂ C(CH ₂ CO ₂ ⁻) ₂ , (CH ₂ CH ₂ CO ₂ ⁻) ₂	600	0.870	0.749	0.675	0.485	0.405
Sr ²⁺ , Ba ²⁺ , Cd ²⁺ , Hg ²⁺ , S ²⁻ , S ₂ O ₄ ²⁻ , WO ₄ ²⁻ , H ₂ C(CO ₂ ⁻) ₂ , (CH ₂ CO ₂ ⁻) ₂ , (CHOHCO ₂ ⁻) ₂	500	0.868	0.744	0.67	0.465	0.38
Pb ²⁺ , CO ₃ ²⁻ , SO ₃ ²⁻ , MoO ₄ ²⁻ , Co(NH ₃) ₅ Cl ²⁺ , Fe(CN) ₅ NO ²⁻ , C ₂ O ₄ ²⁻ , Hcitrate ²⁻	450	0.867	0.742	0.665	0.455	0.37
Hg ₂ ²⁺ , SO ₄ ²⁻ , S ₂ O ₃ ²⁻ , S ₂ O ₆ ²⁻ , S ₂ O ₈ ²⁻ , SeO ₄ ²⁻ , CrO ₄ ²⁻ , HPO ₄ ²⁻	400	0.867	0.740	0.660	0.445	0.355
CHARGE = ± 3						
Al ³⁺ , Fe ³⁺ , Cr ³⁺ , Sc ³⁺ , Y ³⁺ , In ³⁺ , lanthanides ^a	900	0.738	0.54	0.445	0.245	0.18
citrate ³⁻	500	0.728	0.51	0.405	0.18	0.115
PO ₄ ³⁻ , Fe(CN) ₆ ³⁻ , Cr(NH ₃) ₆ ³⁺ , Co(NH ₃) ₆ ³⁺ , Co(NH ₃) ₅ H ₂ O ³⁺	400	0.725	0.505	0.395	0.16	0.095
CHARGE = ± 4						
Th ⁴⁺ , Zr ⁴⁺ , Ce ⁴⁺ , Sn ⁴⁺	1 100	0.588	0.35	0.255	0.10	0.065
Fe(CN) ₆ ⁴⁻	500	0.57	0.31	0.20	0.048	0.021

a. Lanthanides are elements 57–71 in the periodic table. SOURCE: J. Kielland, *J. Am. Chem. Soc.* **1937**, *59*, 1675.

PERIODIC CHART OF THE ELEMENTS

IA	IIA	IIIB	IVB	VB	VIB	VIIB	VIII	IB	IIB	IIIA	IVA	VA	VIA	VIIA	INERT GASES		
1 H 1.00797															1 H 1.00797	2 He 4.0026	
3 Li 6.939	4 Be 9.0122										5 B 10.811	6 C 12.0112	7 N 14.0067	8 O 15.9994	9 F 18.9984	10 Ne 20.183	
11 Na 22.9898	12 Mg 24.372										13 Al 26.9815	14 Si 28.086	15 P 30.9738	16 S 32.064	17 Cl 35.453	18 Ar 39.948	
19 K 39.102	20 Ca 40.08	21 Sc 44.956	22 Ti 47.90	23 V 50.942	24 Cr 51.996	25 Mn 54.9380	26 Fe 55.847	27 Co 58.9332	28 Ni 58.71	29 Cu 63.54	30 Zn 65.37	31 Ga 69.72	32 Ge 72.59	33 As 74.9216	34 Se 78.96	35 Br 79.909	36 Kr 83.80
37 Rb 85.47	38 Sr 87.62	39 Y 88.905	40 Zr 91.22	41 Nb 92.906	42 Mo 95.94	43 Tc (99)	44 Ru 101.07	45 Rh 102.905	46 Pd 106.4	47 Ag 107.870	48 Cd 112.40	49 In 114.82	50 Sn 118.69	51 Sb 121.75	52 Te 127.60	53 I 126.904	54 Xe 131.30
55 Cs 132.905	56 Ba 137.34	*57 La 138.91	72 Hf 178.49	73 Ta 180.948	74 W 183.85	75 Re 186.2	76 Os 190.2	77 Ir 192.2	78 Pt 195.09	79 Au 196.967	80 Hg 200.59	81 Tl 204.37	82 Pb 207.19	83 Bi 208.980	84 Po (210)	85 At (210)	86 Rn (222)
87 Fr (223)	88 Ra (226)	†89 Ac (227)	104 Rf (261)	105 Db (262)	106 Sg (266)	107 Bh (262)	108 Hs (265)	109 Mt (266)	110 ? (271)	111 ? (272)	112 ? (277)						

Numbers in parenthesis are mass numbers of most stable or most common isotope.

Atomic weights corrected to conform to the 1963 values of the Commission on Atomic Weights.

The group designations used here are the former Chemical Abstract Service numbers.

* Lanthanide Series

58 Ce 140.12	59 Pr 140.907	60 Nd 144.24	61 Pm (147)	62 Sm 150.35	63 Eu 151.96	64 Gd 157.25	65 Tb 158.924	66 Dy 162.50	67 Ho 164.930	68 Er 167.26	69 Tm 168.934	70 Yb 173.04	71 Lu 174.97
---------------------------	----------------------------	---------------------------	--------------------------	---------------------------	---------------------------	---------------------------	----------------------------	---------------------------	----------------------------	---------------------------	----------------------------	---------------------------	---------------------------

† Actinide Series

90 Th 232.038	91 Pa (231)	92 U 238.03	93 Np (237)	94 Pu (242)	95 Am (243)	96 Cm (247)	97 Bk (247)	98 Cf (249)	99 Es (254)	100 Fm (253)	101 Md (256)	102 No (256)	103 Lr (257)
----------------------------	--------------------------	--------------------------	--------------------------	--------------------------	--------------------------	--------------------------	--------------------------	--------------------------	--------------------------	---------------------------	---------------------------	---------------------------	---------------------------