

Chem 130
Exam 1, Ch 1-4.2
100 Points

Name _____
September 21, 2018

Please follow the instructions for each section of the exam. Show your work on all mathematical problems. Provide answers with the correct units and significant figures. Be concise in your answers to discussion questions.

Part 0: Warmup. 4 points each

1. Which of the following aspects of Dalton's atomic theory remains unchanged in our current understanding:
 - a. Atoms are indivisible.
 - b. All atoms of a particular element are identical.
 - c. Compounds are the result of a combination of two or more different kinds of atoms in fixed ratios. Answer _____
 - d. None of the above.
2. Which of the elements below DOES NOT exist naturally as a diatomic molecule?
 - a. hydrogen
 - b. helium
 - c. nitrogen
 - d. chlorineAnswer _____
3. An atom of sodium contains 11 protons, 11 electrons and 12 neutrons. Adding the masses of all of the protons, neutrons and electrons in a sodium atom will produce a value that is
 - a. equal to the true mass of a sodium atom.
 - b. greater than to the true mass of a sodium atom.
 - c. less than to the true mass of a sodium atom.
 - d. eleven times the true mass of a sodium atom.Answer _____


Part I: Complete all of problems 4-10

4. Gallium is solid at 20°C. There are 1.16×10^{21} atoms in 134 mg of gallium at this temperature. Above 30°C, gallium melts (it melts in your hand!). How many atoms are there in 134 mg of gallium at 40°C? Briefly justify your answer. (4 points)
5. When it ionizes, does aluminum tend to form anions or cations? What is the charge on the ion? Briefly justify your answer. (4 points)

6. Complete the following table. (12 points)

Symbol		$^{56}\text{Fe}^{3+}$	
# of protons	34		48
# of neutrons	45		64
# of electrons			48
Charge	-2		
Name			


7. Name the following compounds or provide the correct formula for the given names. (16 points)






















8. The atomic mass of fluorine is 18.998 amu and all fluorine atoms in a naturally occurring sample of fluorine have this mass. The atomic mass of chlorine is 35.453 amu, but no chlorine atoms in a naturally occurring sample of chlorine have this mass. Explain this observation. (8 points)

9. Write balanced reactions, specifying the state for all reactants and products. (8 points)




c. Aqueous potassium carbonate reacts with aqueous iron (III) nitrate to produce aqueous potassium nitrate and solid iron (III) carbonate. (4 points)

10. A brand new penny is 19.05 mm in diameter and 1.52 mm thick and is 97.5% zinc and 2.5% copper by mass. Assuming the penny has the same density as zinc (7.13 g/cm³), how many zinc atoms are in a new penny? You may assume the penny is a cylinder with a volume of $\pi r^2 h$, where $\pi = 3.14159$, r is the radius and h is the thickness.(8 points)

Answer _____

Part II. Answer three (3) of problems 11-14. Clearly mark the problem you do not want graded. 10 points each.

11. Glucose, $C_6H_{12}O_6$, is used as an energy source by the human body. The overall reaction in the body is described by the *unbalanced* equation below. If 55.5 grams of glucose is converted to CO_2 , what mass of oxygen gas is required? What mass of water is produced?



Answers _____

12. There are two isotopes of boron, ^{10}B (atomic mass 10.01294 amu) and ^{11}B (atomic mass 11.00931 amu). What are the percent abundances of each of the two isotopes?

Answer _____

13. Isobutylene contains only carbon and hydrogen and is an important industrial chemical used in the production of a variety of products, ranging from antioxidants to polymers. Combustion of 1.00 grams of isobutylene results in the production of 3.14 grams of carbon dioxide and 1.28 grams of water. If the molar mass of isobutylene is 56.106 g/mol, what is its molecular formula?

Answer _____

14. A compound that contains only potassium, chromium and oxygen was analyzed. It was found that the compound contained 26.58% potassium and 35.45% chromium by mass. What is the formula for this compound?

Answer _____

To save some calculation time, you may round all atomic masses to two (2) decimal points.

Possibly Useful Information

$$N_A = 6.022 \times 10^{23}$$

$$d = m/v$$

$$\% \text{ by mass} = \frac{\text{g component}}{100 \text{ g sample}}$$

1 1A	2 2A	3 3B	4 4B	5 5B	6 6B	7 7B	8	9	10	11 1B	12 2B	13 3A	14 4A	15 5A	16 6A	17 7A	18 8A
1 H 1.00794	2 He 4.00260	3 Li 6.941	4 Be 9.01218	5 B 10.811	6 C 12.011	7 N 14.0067	8 O 15.9994	9 F 18.9984	10 Ne 20.1797	11 Na 22.9898	12 Mg 24.3050	13 Al 26.9815	14 Si 28.0855	15 P 30.9738	16 S 32.066	17 Cl 35.4527	18 Ar 39.948
19 K 39.0983	20 Ca 40.078	21 Sc 44.9559	22 Ti 47.88	23 V 50.9415	24 Cr 51.9961	25 Mn 54.9381	26 Fe 55.847	27 Co 58.9332	28 Ni 58.693	29 Cu 63.546	30 Zn 65.39	31 Ga 69.723	32 Ge 72.61	33 As 74.9216	34 Se 78.96	35 Br 79.904	36 Kr 83.80
37 Rb 85.4678	38 Sr 87.62	39 Y 88.9059	40 Zr 91.224	41 Nb 92.9064	42 Mo 95.94	43 Tc (98)	44 Ru 101.07	45 Rh 102.906	46 Pd 106.42	47 Ag 107.868	48 Cd 112.411	49 In 114.818	50 Sn 118.710	51 Sb 121.757	52 Te 127.60	53 I 126.904	54 Xe 131.29
55 Cs 132.905	56 Ba 137.327	57 *La 138.906	72 Hf 178.49	73 Ta 180.948	74 W 183.84	75 Re 186.207	76 Os 190.23	77 Ir 192.22	78 Pt 195.08	79 Au 196.967	80 Hg 200.59	81 Tl 204.383	82 Pb 207.2	83 Bi 208.980	84 Po (209)	85 At (210)	86 Rn (222)
87 Fr (223)	88 Ra 226.025	89 *Ac 227.028	104 Rf (261)	105 Db (262)	106 Sg (266)	107 Bh (264)	108 Hs (277)	109 Mt (268)	110 Ds (271)	111 Rg (272)							

*Lanthanide series	58 Ce 140.115	59 Pr 140.908	60 Nd 144.24	61 Pm (145)	62 Sm 150.36	63 Eu 151.965	64 Gd 157.25	65 Tb 158.925	66 Dy 162.50	67 Ho 164.930	68 Er 167.26	69 Tm 168.934	70 Yb 173.04	71 Lu 174.967
+Actinide series	90 Th 232.038	91 Pa 231.036	92 U 238.029	93 Np 237.048	94 Pu (244)	95 Am (243)	96 Cm (247)	97 Bk (247)	98 Cf (251)	99 Es (252)	100 Fm (257)	101 Md (258)	102 No (259)	103 Lr (262)

Copyright © 2007 Pearson Prentice Hall, Inc.